

**kulturpunkt
flawil**



Artist Information Booklet

Sound / PA System

Microphones		
If you prefer your own mic please bring it along with you. 48V phantom power is provided.		
1	Sennheiser e865	condenser, vocal, super-cardioid, wireless
2	Shure Beta 58A	dynamic, vocal, super-cardioid
2	Shure SM58	dynamic, vocal, cardioid
1	Audix OM2	dynamic, vocal, hyper-cardioid
1	Audix OM3	dynamic, vocal, hyper-cardioid
1	t.bone Earmike D	condenser, vocal, cardioid, Shure wireless system
4	Shure SM57	dynamic, instrument, cardioid
1	Audix D6	dynamic, instrument, cardioid
2	Audix f2	dynamic, instrument, hyper-cardioid
3	Røde NT5	condenser, instrument, cardioid
1	Audix f9	condenser, instrument, cardioid
1	Shure PG81	condenser, instrument, cardioid
1	AKG C1000	condenser, instrument, cardioid
1	Superlux PRA383	condenser, gooseneck, cardioid
1	Sennheiser E901	condenser, boundary layer, half-cardioid
1	AKG C411	condenser, stick-on contact microphone

Mixing console Behringer X32 24 channel patched from stage	DI / Playback 5 active and 6 passive DI simple Double CD-Deck, 3,5mm Plug
Stage monitoring / AUX 2x passive 10" Wedge 4x XLR patched to stage for connecting 2 additional active 10" Monitors or your In-ear device	Mic stands and cable 8 tall, 2 medium, 4 short stands a sufficient number of XLR cable 2 Jack cable with Neutrik silent plug some simple Jack cable
Main PA System 3-way custom PA active subwoofer	Recording A XY stereo pair of Røde M5 is already mounted and patched to the mixing console
Staff A voluntary technician is on site. You may also bring your own.	Law Situation We are allowed for 93dB (Laeq60") max. by law. There will be a measurement device.

Stage

<p>Stage Light 2x LED RGBWAUV (top) 4x LED RGBW (front) 3x LED RGBW (back) simple DMX controller</p> <p>Audience room Light white room light, dimmable in several zones, simple DMX controller separated from stage lighting</p> <p>Video Projector HDMI Input Sound from Projector goes to PA Electric projection screen</p>	
<p>Stage Size 4m width (6m max.) 3m depth 2.5m height</p> <p>Power on stage 230V/50Hz, sockets for the 3-pin Swiss (Type J), some adapters to Schuko (Type F)</p>	
<p>Backline</p>	<p>Complete drum-kit and various percussion on site. Other backline on request</p>

Catering / Hospitality

- ✓ We usually have dinner after the soundcheck.
- ➔ Please let us know if you have special needs such as allergy or intolerance.
- ✓ There is a cosy backstage room with its own shower & toilet

Kulturpunkt Concert Room / Stage



Bar / Entry



Backstage Room

